



Safety Data Sheet

NS-2802-G

Product Identifier: NS-2802-G

Date Revised: 10/11/2019

SOF 7.5.5-01-08

Page 1 of 4

Section 1 - Identification of the substance/mixture and of the company

1.1 Product Identifier: NS-2802-G

1.2 Identified uses: Lubricant

1.3 Company/Manufacturers ID: Syn-Tech Corp.

1550 W. Fullerton Avenue, Ste F

Emergency Phone No.: (630) 628-7290

Addison, IL 60101 USA

Fax: (630) 628-7291

Opening Hours: Monday - Friday 8:00am - 4:00pm Central Standard Time

Contact Information: pshearer@syn-techlube.com

Date Printed: 05/26/2021

Section 2 - Hazard(s) Identification

2.1 Classification of the substance or mixture: This mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to 2012 OSHA
Hazard Communication Standard (29
CFR 1910.1200

This substance is not considered hazardous.

Classification according to Reg. (EC)

No 1907/2006 (CLP): This substance does not meet the criteria for classification according to Directive 2002/95/EC as amended.

Classification according to Directive

2002/95/EC: This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.1.1 Additional Information

Hazard Summary: Not a hazardous substance or mixture

Physical hazards: Flammable: Material can release vapors that readily form flammable mixtures. Vapor accumulation could flash and/or explode if ignited. Material can accumulate static charges which may cause an incendiary electrical charge.

Health hazards: Repeated exposure may cause skin dryness or cracking. If swallowed, may be aspirated and cause lung damage. May be irritating to eyes, nose, throat and lungs.

Not classified for environmental hazards.

Environmental hazard

Specific hazards: Not a hazardous substance or mixture

Main symptoms: Not Available

2.2 GHS Label Elements: Not a hazardous substance or mixture

Signal Word: None

Symbols/Pictograms: None

HMIS: Health 1 Fire 0 Reactivity 0 Protection G

Precautionary statements: None

Storage: Not Available

Prevention: Not Available

Disposal: Not Available

Response: Not Available

Supplemental label information: Not Applicable

2.3 Other hazards: Not Assigned

Section 3 - Composition / Information on Ingredients - (if blank, then there are NONE)

3.1 Reportable Ingredients

Chemical Name

CAS No.

Distillates, hydrotreated light naphthenic

64742-53-6

Section 4 - First Aid Measures

4.1 Description of aid measures

Inhalation: Remove victim to fresh air. If not breathing, qualified personnel should administer artificial respiration. Get medical attention. If breathing is difficult, administer oxygen.

Skin Contact: Remove contaminated clothing. Wash Thoroughly with soap and water. Seek medical if irritation persists.

Eye Contact: Flush with water for at least 15 minutes. Obtain immediate medical attention.

Ingestion: Obtain immediate medical attention. Do not induce vomiting, unless directed by a physician.

4.2 Most important symptoms and effects both acute and delayed: Not Available

4.3 Indication of any immediate medical attention and special treatment needed: None Known



Safety Data Sheet

NS-2802-G

Product Identifier: NS-2802-G

Date Revised: 10/11/2019

SOF 7.5.5-01-08

Page 2 of 4

Section 5 – Firefighting Measures

5.1 Extinguishing media:

Suitable extinguishing media: Carbon dioxide, dry chemical, foam, water spray

Unsuitable extinguishing media: Water. Do not use water jet as an extinguisher, as this will spread the fire.

Unusual Fire Hazards: Highly flammable. Vapors are flammable and heavier than air. Vapors may travel across the ground and reach remote ignition sources causing a flashback fire danger.

5.2 Special hazards arising from the substance:

Hazardous combustion products: CO and CO² may be present due to incomplete combustion.

5.3 Advice for firefighters:

Suitable protective equipment: Self-contained breathing apparatus required. Firefighters should wear suitable protective gear. Move containers from fire area if you can do it without risk. Do not let firefighting water runoff enter sewer.

Section 6 – Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel: Evacuate the danger zone; follow emergency precautions. Call emergency assistance immediately. Wear personal protective equipment. Evacuate personnel to safe areas. Ensure adequate ventilation. Keep away from open flames, and sources of ignition. Ensure all equipment is electrically grounded before beginning transfer operations.

Emergency procedures: Not available

6.2 Environmental precautions: Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up:

For containment: Contain the spill. Prevent entry into drains, sewers and other waterways. Area will be slippery until cleaned.

For clean-up: Wipe or scrape up spilled material. Wash spill area after material pick up is complete. Transfer to an approved container for disposal or recovery, by sweep-up or shovel.

Other information: Wear appropriate protective equipment.

6.4 Reference to other sections: None

Section 7 - Handling and storage

7.1 Precautions for safe handling:

Protective measures: Keep in the original container or an approved alternative made from a compatible material, kept tightly closed in a dry, cool environment, properly labeled, when not in use. Handle in accordance with good industrial hygiene and safety practice. Users should be alert to the possibility that a very small percentage of the population may display unexpected allergic reactions to otherwise innocuous lubricants and raw materials.

Measures to prevent fire: Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion- dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material.

Measures to protect the environment: Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Use appropriate containment to avoid environmental contamination.

Advice on occupational hygiene: Avoid skin contact. Eating drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash hands and face before eating, drinking and smoking. Don't get in eyes or on skin or clothing. Do not ingest.

7.2. Conditions for safe storage, including any incompatibilities: No additional information

7.3. Specific end use(s): None



Safety Data Sheet

NS-2802-G

Product Identifier: NS-2802-G

Date Revised: 10/11/2019

SOF 7.5.5-01-08

Page 3 of 4

Section 8 - Exposure Controls / Personal Protection (If blank, then there are NONE)

8.1 Control parameters

<u>Substance</u>	<u>OSHA PEL</u> <u>mg/m3</u>	<u>ACGIH TWA</u> <u>mg/m3</u>	<u>NIOSH TWA</u> <u>mg/m3</u>
Distillates, hydrotreated light naphthenic	>2000 mg/kg	5 MG/M3	10 MG/M3

8.2 Exposure Controls

Appropriate engineering controls: Use local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Eye/face protection: Safety glasses, goggles or faceshield. Eyewash / Emergency shower should be in close proximity.

Skin protection: Oil resistant gloves, safety glasses, goggles when splashing, apron, oil resistant clothes.

Hand protection: Chemical resistant gloves, Nitrile rubber, Polyvinyl alcohol, Neoprene gloves.

Footwear: Safety shoes per local regulations.

Clothing: Wear adequate protective clothes. Long-sleeves, pants, apron. Launder contaminated clothing prior to use.

Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment. Respirator with a half-face mask (EN 140) Respirator with a full face mask (EN136) Recommended Filter type: (A-EN141)

Thermal hazards: Avoid contamination of cigarettes or other tobacco products.

Environmental exposure controls: Do not flush into surface water or sanitary sewer system.

If user operations generate an oil mist, determine if airborne concentrations are below the OSHA Permissible Limit (PEL) of 5 mg/m3 for mineral oil mist. If not, wear a NIOSH approved respirator that provides adequate protection from the measured concentrations of this material. For air-purifying respirators use a particulate cartridge.

Section 9 - Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Physical State: Grease	Vapor Pressure: N/A	Boiling Point (°F): N/A
Color: Amber	UEL: N/A	Melting Point (°F): N/A
Odor: Sweet	LEL: N/A	Dropping Point (°F): N/A
Odor Threshold: Not Available	Evaporation Rate: N/A	Flash Point (°F): N/A
Appearance: Translucent	Vapor Density: N/A	Auto-Ignition Temp.: Not Available
Specific Gravity: N/A	Solubility: Negligible	Decomposition temperature: Not Available
Viscosity (cSt @ 40°C): N/A	Coeff. Water/Oil Dist: Not Available	OSHA Flammability Class: IIIB
9.2. Other information: None	pH: Not Available	VOC Content %: 0

Section 10 - Stability and Reactivity

10.1 Reactivity: None known

10.2 Chemical Stability: Material is stable under normal conditions. Stable.

10.3 Possibility of hazardous reactions: Not Available

10.4 Conditions to avoid: Heat, flames and sparks and other ignition sources.

10.5 Incompatible materials: Avoid contact with: Strong acids, bases, oxidizers

10.6 Hazardous decomposition products: CO and CO² may be present due to incomplete combustion.

Section 11 - Toxicological information

11.1 Information on toxicological effects:

Acute Toxicity: Not Available	Reproductive Toxicity: Not Available
Skin Corrosion / irritation: Not Available	Summary evaluation of CMR properties: Not Available
Serious eye damage / irritation: Not Available	STOT - Single exposure: Not Available
Respiratory or skin sensitisation: Not Available	STOT - repeated exposure: Not Available
Germ cell mutagenicity: Not Available	Aspiration hazard: Not Available
Carcinogenicity: Not Available	



Safety Data Sheet

NS-2802-G

Product Identifier: NS-2802-G

Date Revised: 10/11/2019

SOF 7.5.5-01-08

Page 4 of 4

Section 12 – Ecological information

12.1 Toxicity: No data available at this time

12.2 Persistence and degradation: No data available at this time

12.3 Bioaccumulative potential: No data available at this time

12.4 Mobility in soil: No data available at this time

12.5 Results of PBT and vPvB

assessment: No data available at this time

12.6 Other adverse effects: No data available at this time

Section 13 – Disposal Considerations

13.1 Waste treatment methods: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. All disposal must comply with Local, State and Federal regulations. Contact a licensed waste-disposal contractor for detailed recommendations. Many states classify waste lubricants as 'hazardous', which means disposal can only be a licensed firm.

Product / Packaging disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste codes / waste designations
according to LoW: Not Available

Waste treatment relevant information: Dispose of in accordance with local regulations.

Sewage disposal-relevant information: Do not flush into surface water or sanitary sewer system.

Other disposal recommendations: None

Section 14 - Transport information

<u>Regulatory Information</u>	<u>14.1 UN</u>		<u>14.3 Class</u>	<u>EMS No.</u>	<u>14.4 Packing</u>		<u>ERG No.</u>	<u>LABEL</u>	<u>TRANSPORT DOC NAME</u>
	<u>No.</u>	<u>14.2 Proper shipping name</u>			<u>group</u>	<u>No.</u>			
LAND (DOT):	1268	Petroleum Distillates, N.O.S.	3		II	128	3	UN1268, Petrol. Dist., N.O.S., 3, PGII	
LAND (TDG):	1268	Petroleum Distillates, N.O.S.	3		II				
SEA (IMDG):	1268	Petroleum Distillates, N.O.S.	3	F-E, S-E	II		3	UN 1268, Pet. Dist. N.O.S. 3 PGII (7C c.c.)	
AIR (IATA):	1268	Petroleum Distillates, N.O.S.	3		II		3	UN1268, Petrol. Dist., N.O.S., 3, PG II	

14.5 Environmental hazards: No information available.

14.6 Special precautions for user: No information available.

14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not intended for bulk transportation

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

OSHA Hazard Communication Standard: This substance is not considered hazardous in accordance with OSHA HazCom 2012, 29 CFR 1910.1200

Authorisations/restrictions on use: Not applicable

TSCA 8(b): All components are listed or exempted

TSCA 12(b): Export Notification (40 CFR 707, Subpt. D) Not Regulated

REACH/RoHS: This product does not contain any reportable ingredients for REACH SVHC as of December 2016, 1907/2006/EC Regulation (EC). And RoHS2 Directive 2011/65/EU and SVHC list updated January 19, 2021.

15.2 Chemical Safety assessment: This information is not available.

Section 16 – Other information

List of abbreviations Not Available

References Not Available

Information on evaluation method
leading to the classification of mixture: Not Available

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Syn-Tech Corp., makes no warranty with respect thereto and disclaims all liability with respect thereon. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.